ELSEVIER

Environmental and Experimental Botany 50 (2003) 277–281

Environmental and Experimental Botany

www.elsevier.com/locate/envexpbot

Cumulative Author Index, Vols. 49–50

Abdullah, Z., *see* Khan, M.A.
Agrawal, G.K., *see* Rakwal, R. et al.
Aguilar, M.A.G., *see* Mielke, M.S. et al.
Allen, L.H., Jr., *see* Widodo, W. et al.
An, L., *see* Feng, H. et al.
Aphalo, P.J., *see* Lavola, A. et al.
Asaeda, T., *see* Karunaratne, S. et al.
Awal, M.A., Ikeda, T. and Itoh, R.
The effect of soil temperature on source–sink economy in peanut (*Arachis hypogaea*) 50 (2003) 41

Bai, Y., Tischler, C.R., Booth, D.T. and Taylor, E.M., Jr
Variations in germination and grain quality within a rust resistant common wheat germplasm as affected by parental CO_2 conditions 50 (2003) 159
Baker, J.T., *see* Widodo, W. et al.
Barrientos, M.L., *see* Ramos, B. et al.
Berg, V.S., *see* Bielenberg, D.G. et al.
Bielenberg, D.G., Miller, J.D. and Berg, V.S.
Paraheliotropism in two *Phaseolus* species: combined effects of photon flux density and pulvinus temperature, and consequences for leaf gas exchange 49 (2003) 95
Blake, T.J., *see* Teklemariam, T.
Boote, K.J., *see* Widodo, W. et al.
Booth, D.T., *see* Bai, Y. et al.
Bryngelsson, T., *see* Stolt, J.P. et al.

Cabral, J.P.
Copper toxicity to five *Parmelia* lichens in vitro 49 (2003) 237
Cambraia, J., *see* de Lacerda, C.F. et al.
Cambraia, J., *see* Meloni, D.A. et al.
Carletti, P., Masi, A., Wonisch, A., Grill, D., Tausz, M. and Ferretti, M.
Changes in antioxidant and pigment pool dimensions in UV-B irradiated maize seedlings 50 (2003) 149
Chen, H. and Qualls, R.G.
Anaerobic metabolism in the roots of seedlings of the invasive exotic *Lepidium latifolium* 50 (2003) 29
Chen, L., *see* Zhang, S. et al.
Chen, T., *see* Feng, H. et al.
Chimphango, S.B.M., *see* Musil, C.F. et al.
Clijsters, H., *see* Milone, M.T. et al.
Colom, M.R. and Vazzana, C.
Photosynthesis and PSII functionality of drought-resistant and drought-sensitive weeping lovegrass plants 49 (2003) 135
Cui, X., Tang, Y., Gu, S., Nishimura, S., Shi, S. and Zhao, X.
Photosynthetic depression in relation to plant architecture in two alpine herbaceous species 50 (2003) 125

Daayf, F., El Bellaj, M., El Hassni, M., J'Aiti, F. and El Hadrami, I.
Elicitation of soluble phenolics in date palm (*Phoenix dactylifera*) callus by *Fusarium oxysporum* f. sp. *albedinis* culture medium 49 (2003) 41
Dakora, F.D., *see* Musil, C.F. et al.
de Almeida, A.-A.F., *see* Mielke, M.S. et al.

doi:10.1016/S0098-8472(03)00081-9

De Kok, L.J., *see* Tausz, M. et al.
de Lacerda, C.F., Cambraia, J., Oliva, M.A., Ruiz, H.A. and Prisco, J.T.
Solute accumulation and distribution during shoot and leaf development in two sorghum genotypes under salt stress 49 (2003) 107
de Sousa, C.A.F. and Sodek, L.
Alanine metabolism and alanine aminotransferase activity in soybean (*Glycine max*) during hypoxia of the root system and subsequent return to normoxia 50 (2003) 1
Dicenta, F., *see* Egea, J. et al.
Dickinson, N.M., *see* Wisniewski, L.
Dominy, P., *see* Wu, F. et al.

Egea, J., Ortega, E., Martínez-Gómez, P. and Dicenta, F.
Chilling and heat requirements of almond cultivars for flowering 50 (2003) 79
El Bellaj, M., *see* Daayf, F. et al.
El Hadrami, I., *see* Daayf, F. et al.
El Hassni, M., *see* Daayf, F. et al.
Eullaffroy, P., *see* Frankart, C. et al.

Feng, H., An, L., Chen, T., Qiang, W., Xu, S., Zhang, M. and Wang, X.
The effect of enhanced ultraviolet-B radiation on growth, photosynthesis and stable carbon isotope composition ($\delta^{13}C$) of two soybean cultivars (*Glycine max*) under field conditions 49 (2003) 1
Ferretti, M., *see* Carletti, P. et al.
Filella, I., *see* Peñuelas, J.
Forseth, I.N., *see* Peek, M.S.
Frankart, C., Eullaffroy, P. and Vernet, G.
Comparative effects of four herbicides on non-photochemical fluorescence quenching in *Lemna minor* 49 (2003) 159
Fritz, E., *see* Paul, A. et al.

García, J.A.L., *see* Ramos, B. et al.
Giorio, G., *see* Giorio, P.
Giorio, P. and Giorio, G.
Sap flow of several olive trees estimated with the heat-pulse technique by continuous monitoring of a single gauge 49 (2003) 9
Gomes, F.P., *see* Mielke, M.S. et al.
Grill, D., *see* Carletti, P. et al.
Grill, D., *see* Tausz, M. et al.
Gross, S., *see* Hauck, M. et al.
Gu, S., *see* Cui, X. et al.
Gutierrez Mañero, F.J., *see* Ramos, B. et al.

Haiyan, C., *see* Yanqun, Z. et al.
Haq, K., *see* Murch, S.J. et al.
Hauck, M., Paul, A., Gross, S. and Raubuch, M.
Manganese toxicity in epiphytic lichens: chlorophyll degradation and interaction with iron and phosphorus . . . 49 (2003) 181
Hauck, M., *see* Paul, A. et al.
Hauck, M., *see* Schmull, M.
Huttunen, S., *see* Manninen, S. et al.

Ikeda, T., *see* Awal, M.A. et al.
Itoh, R., *see* Awal, M.A. et al.
Iwahashi, H., *see* Rakwal, R. et al.

Jackson, A.C., *see* Mulholland, B.J. et al.
J'Aiti, F., *see* Daayf, F. et al.
Jianjun, C., *see* Yanqun, Z. et al.
Julkunen-Tiitto, R., *see* Lavola, A. et al.
Jung, W.-J., *see* Kim, T.-H. et al.

Kang, G., Wang, C., Sun, G. and Wang, Z.
Salicylic acid changes activities of H_2O_2-metabolizing enzymes and increases the chilling tolerance of banana seedlings 50 (2003) 9
Karunaratne, S., Asaeda, T. and Yutani, K.
Growth performance of *Phragmites australis* in Japan: influence of geographic gradient 50 (2003) 51
Kgope, B.S., *see* Musil, C.F. et al.
Khan, M.A. and Abdullah, Z.
Salinity–sodicity induced changes in reproductive physiology of rice (*Oryza sativa*) under dense soil conditions . 49 (2003) 145
Kim, H.-Y., *see* Kim, T.-H. et al.
Kim, K.-Y., *see* Kim, T.-H. et al.
Kim, T.-H., Jung, W.-J., Lee, B.-R., Yoneyama, T., Kim, H.-Y. and Kim, K.-Y.
P effects on N uptake and remobilization during regrowth of Italian ryegrass (*Lolium multiflorum*) 50 (2003) 233
Kobus, P., *see* Sowiński, P. et al.
Kubo, A., *see* Rakwal, R. et al.

Lahti, M., *see* Lavola, A. et al.
Lavola, A., Aphalo, P.J., Lahti, M. and Julkunen-Tiitto, R.
Nutrient availability and the effect of increasing UV-B radiation on secondary plant compounds in Scots pine . . 49 (2003) 49
Lee, B.-R., *see* Kim, T.-H. et al.
Lu, C.Y., *see* Ye, Y. et al.
Lundborg, T., *see* Stolt, J.P. et al.

Ma, K., *see* Zhang, S. et al.
Ma, L.Q., *see* Tu, S.
Mangabeira, P.A.O., *see* Mielke, M.S. et al.
Manninen, S., Siivonen, N., Timonen, U. and Huttunen, S.
Differences in ozone response between two Finnish wild strawberry populations 49 (2003) 29
Martinez, C.A., *see* Meloni, D.A. et al.
Martínez-Gómez, P., *see* Egea, J. et al.
Masi, A., *see* Carletti, P. et al.
Meloni, D.A., Oliva, M.A., Martinez, C.A. and Cambraia, J.
Photosynthesis and activity of superoxide dismutase, peroxidase and glutathione reductase in cotton under salt stress 49 (2003) 69
Mielke, M.S., de Almeida, A.-A.F., Gomes, F.P., Aguilar, M.A.G. and Mangabeira, P.A.O.
Leaf gas exchange, chlorophyll fluorescence and growth responses of *Genipa americana* seedlings to soil flooding 50 (2003) 221
Miller, J.D., *see* Bielenberg, D.G. et al.
Milone, M.T., Sgherri, C., Clijsters, H. and Navari-Izzo, F.
Antioxidative responses of wheat treated with realistic concentration of cadmium 50 (2003) 265
Mulholland, B.J., Taylor, I.B., Jackson, A.C. and Thompson, A.J.
Can ABA mediate responses of salinity stressed tomato 50 (2003) 17
Murch, S.J., Haq, K., Rupasinghe, H.P.V. and Saxena, P.K.
Nickel contamination affects growth and secondary metabolite composition of St. John's wort (*Hypericum perforatum* L.) 49 (2003) 251
Musil, C.F., Kgope, B.S., Chimphango, S.B.M. and Dakora, F.D.
Nitrate additions enhance the photosynthetic sensitivity of a nodulated South African Mediterranean-climate legume (*Podalyria calyptrata*) to elevated UV-B 50 (2003) 197

Navari-Izzo, F., *see* Milone, M.T. et al.
Nayyar, H.
Accumulation of osmolytes and osmotic adjustment in water-stressed wheat (*Triticum aestivum*) and maize (*Zea mays*) as affected by calcium and its antagonists 50 (2003) 253
Nishimura, S., *see* Cui, X. et al.

Ogaya, R. and Peñuelas, J.
Comparative field study of *Quercus ilex* and *Phillyrea latifolia*: photosynthetic response to experimental drought conditions 50 (2003) 137

Oliva, M.A., *see* de Lacerda, C.F. et al.
Oliva, M.A., *see* Meloni, D.A. et al.
Ortega, E., *see* Egea, J. et al.

Päivöke, A.E.A.
Mineral elements and phytase activity in *Pisum sativum* grown at different Zn supply levels in the greenhouse . . 49 (2003) 285
Pandey, N. and Sharma, C.P.
Chromium interference in iron nutrition and water relations of cabbage 49 (2003) 195
Paul, A., Hauck, M. and Fritz, E.
Effects of manganese on element distribution and structure in thalli of the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides* 50 (2003) 113
Paul, A., *see* Hauck, M. et al.
Peek, M.S. and Forseth, I.N.
Enhancement of photosynthesis and growth of an aridland perennial in response to soil nitrogen pulses generated by mule deer 49 (2003) 169
Peñuelas, J. and Filella, I.
Deuterium labelling of roots provides evidence of deep water access and hydraulic lift by *Pinus nigra* in a Mediterranean forest of NE Spain 49 (2003) 201
Peñuelas, J., *see* Ogaya, R.
Prisco, J.T., *see* de Lacerda, C.F. et al.
Probanza, A., *see* Ramos, B. et al.

Qiang, W., *see* Feng, H. et al.
Qualls, R.G., *see* Chen, H.

Rakwal, R., Agrawal, G.K., Kubo, A., Yonekura, M., Tamogami, S., Saji, H. and Iwahashi, H.
Defense/stress responses elicited in rice seedlings exposed to the gaseous air pollutant sulfur dioxide 49 (2003) 223
Ramos, B., García, J.A.L., Probanza, A., Barrientos, M.L. and Gutierrez Mañero, F.J.
Alterations in the rhizobacterial community associated with European alder growth when inoculated with PGPR strain *Bacillus licheniformis* 49 (2003) 61
Raubuch, M., *see* Hauck, M. et al.
Rudzińska-Langwald, A., *see* Sowiński, P. et al.
Ruiz, H.A., *see* de Lacerda, C.F. et al.
Rupasinghe, H.P.V., *see* Murch, S.J. et al.

Saji, H., *see* Rakwal, R. et al.
Saxena, P.K., *see* Murch, S.J. et al.
Schat, H., *see* Stolt, J.P. et al.
Schmull, M. and Hauck, M.
Extraction methods for assessing the availability of cations for epiphytic lichens from bark 49 (2003) 273
Sgherri, C., *see* Milone, M.T. et al.
Sharma, C.P., *see* Pandey, N.
Shi, S., *see* Cui, X. et al.
Siivonen, N., *see* Manninen, S. et al.
Sneller, F.E.C., *see* Stolt, J.P. et al.
Sodek, L., *see* de Sousa, C.A.F.
Sowiński, P., Rudzińska-Langwald, A. and Kobus, P.
Changes in plasmodesmata frequency in vascular bundles of maize seedling leaf induced by growth at sub-optimal temperatures in relation to photosynthesis and assimilate export 50 (2003) 183
Stirk, W.A. and van Staden, J.
Occurrence of cytokinin-like compounds in two aquatic ferns and their exudates 49 (2003) 77
Stolt, J.P., Sneller, F.E.C., Bryngelsson, T., Lundborg, T. and Schat, H.
Phytochelatin and cadmium accumulation in wheat 49 (2003) 21
Sun, G., *see* Kang, G. et al.

Tam, N.F.Y., *see* Ye, Y. et al.
Tamogami, S., *see* Rakwal, R. et al.

Tang, Y., *see* Cui, X. et al.
Tausz, M., *see* Carletti, P. et al.
Tausz, M., Weidner, W., Wonisch, A., De Kok, L.J. and Grill, D.
Uptake and distribution of ^{35}S-sulfate in needles and roots of spruce seedlings as affected by exposure to SO_2 and H_2S 50 (2003) 211
Taylor, E.M., Jr, *see* Bai, Y. et al.
Taylor, I.B., *see* Mulholland, B.J. et al.
Teklemariam, T. and Blake, T.J.
Effects of UVB preconditioning on heat tolerance of cucumber (*Cucumis sativus* L.) 50 (2003) 169
Thompson, A.J., *see* Mulholland, B.J. et al.
Timonen, U., *see* Manninen, S. et al.
Tischler, C.R., *see* Bai, Y. et al.
Tu, S. and Ma, L.Q.
Interactive effects of pH, arsenic and phosphorus on uptake of As and P and growth of the arsenic hyperaccumulator *Pteris vittata* L. under hydroponic conditions 50 (2003) 243

van Staden, J., *see* Stirk, W.A.
Vazzana, C., *see* Colom, M.R.
Vernet, G., *see* Frankart, C. et al.
Vu, J.C.V., *see* Widodo, W. et al.

Wang, C., *see* Kang, G. et al.
Wang, X., *see* Feng, H. et al.
Wang, Z., *see* Kang, G. et al.
Weidner, W., *see* Tausz, M. et al.
Widodo, W., Vu, J.C.V., Boote, K.J., Baker, J.T. and Allen, L.H., Jr.
Elevated growth CO_2 delays drought stress and accelerates recovery of rice leaf photosynthesis 49 (2003) 259
Wisniewski, L. and Dickinson, N.M.
Toxicity of copper to *Quercus robur* (English Oak) seedlings from a copper-rich soil 50 (2003) 99
Wong, Y.S., *see* Ye, Y. et al.
Wonisch, A., *see* Carletti, P. et al.
Wonisch, A., *see* Tausz, M. et al.
Wu, F., Zhang, G. and Dominy, P.
Four barley genotypes respond differently to cadmium: lipid peroxidation and activities of antioxidant capacity . 50 (2003) 67

Xu, S., *see* Feng, H. et al.

Yanqun, Z., Yuan, L., Haiyan, C. and Jianjun, C.
Intraspecific differences in physiological response of 20 soybean cultivars to enhanced ultraviolet-B radiation under field conditions 50 (2003) 87
Ye, Y., Tam, N.F.Y., Wong, Y.S. and Lu, C.Y.
Growth and physiological responses of two mangrove species (*Bruguiera gymnorrhiza* and *Kandelia candel*) to waterlogging 49 (2003) 209
Yonekura, M., *see* Rakwal, R. et al.
Yoneyama, T., *see* Kim, T.-H. et al.
Yuan, L., *see* Yanqun, Z. et al.
Yutani, K., *see* Karunaratne, S. et al.

Zhang, G., *see* Wu, F. et al.
Zhang, M., *see* Feng, H. et al.
Zhang, S., Ma, K. and Chen, L.
Response of photosynthetic plasticity of *Paeonia suffruticosa* to changed light environments 49 (2003) 121
Zhao, X., *see* Cui, X. et al.

ELSEVIER

Environmental and Experimental Botany 50 (2003) 283–293

Environmental and Experimental Botany

www.elsevier.com/locate/envexpbot

Cumulative Subject Index, Vols. 49–50

Abies balsamea
Extraction methods for assessing the availability of cations for epiphytic lichens from bark, 49 (2003) 273

Above- and below-ground biomass
Growth performance of *Phragmites australis* in Japan: influence of geographic gradient, 50 (2003) 51

Abscisic acid
Can ABA mediate responses of salinity stressed tomato, 50 (2003) 17

Acclimation
Toxicity of copper to *Quercus robur* (English Oak) seedlings from a copper-rich soil, 50 (2003) 99

Response of photosynthetic plasticity of *Paeonia suffruticosa* to changed light environments, 49 (2003) 121

Adenylate energy charge
Manganese toxicity in epiphytic lichens: chlorophyll degradation and interaction with iron and phosphorus, 49 (2003) 181

Alanine
Alanine metabolism and alanine aminotransferase activity in soybean (*Glycine max*) during hypoxia of the root system and subsequent return to normoxia, 50 (2003) 1

Alanine aminotransferase
Alanine metabolism and alanine aminotransferase activity in soybean (*Glycine max*) during hypoxia of the root system and subsequent return to normoxia, 50 (2003) 1

Alder
Alterations in the rhizobacterial community associated with European alder growth when inoculated with PGPR strain *Bacillus licheniformis*, 49 (2003) 61

Anoxic tolerance
Anaerobic metabolism in the roots of seedlings of the invasive exotic *Lepidium latifolium*, 50 (2003) 29

Anthocyanins
Nitrate additions enhance the photosynthetic sensitivity of a nodulated South African Mediterranean-climate legume (*Podalyria calyptrata*) to elevated UV-B, 50 (2003) 197

Arsenic
Interactive effects of pH, arsenic and phosphorus on uptake of As and P and growth of the arsenic hyperaccumulator *Pteris vittata* L. under hydroponic conditions, 50 (2003) 243

Ascorbate peroxidase
Salicylic acid changes activities of H_2O_2-metabolizing enzymes and increases the chilling tolerance of banana seedlings, 50 (2003) 9

ATP
Manganese toxicity in epiphytic lichens: chlorophyll degradation and interaction with iron and phosphorus, 49 (2003) 181

Azolla filiculoides
Occurrence of cytokinin-like compounds in two aquatic ferns and their exudates, 49 (2003) 77

Biomarker
Comparative effects of four herbicides on non-photochemical fluorescence quenching in *Lemna minor*, 49 (2003) 159

Biomass
Interactive effects of pH, arsenic and phosphorus on uptake of As and P and growth of the arsenic hyperaccumulator *Pteris vittata* L. under hydroponic conditions, 50 (2003) 243

Biomass allocation
The effect of soil temperature on source–sink economy in peanut (*Arachis hypogaea*), 50 (2003) 41

Biomass partitioning
Leaf gas exchange, chlorophyll fluorescence and growth responses of *Genipa americana* seedlings to soil flooding, 50 (2003) 221

Growth and physiological responses of two mangrove species (*Bruguiera gymnorrhiza* and *Kandelia candel*) to waterlogging, 49 (2003) 209

Biosynthesis
Can ABA mediate responses of salinity stressed tomato, 50 (2003) 17

doi:10.1016/S0098-8472(03)00082-0

***Brassica oleracea* var. capitata**
Chromium interference in iron nutrition and water relations of cabbage, 49 (2003) 195

$\delta^{13}C$
Deuterium labelling of roots provides evidence of deep water access and hydraulic lift by *Pinus nigra* in a Mediterranean forest of NE Spain, 49 (2003) 201

Calcium
Accumulation of osmolytes and osmotic adjustment in water-stressed wheat (*Triticum aestivum*) and maize (*Zea mays*) as affected by calcium and its antagonists, 50 (2003) 253

Ca oxalate crystals
Effects of manganese on element distribution and structure in thalli of the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 50 (2003) 113

Carbohydrates
Nitrate additions enhance the photosynthetic sensitivity of a nodulated South African Mediterranean-climate legume (*Podalyria calyptrata*) to elevated UV-B, 50 (2003) 197

Carbon sequestration
Comparative field study of *Quercus ilex* and *Phillyrea latifolia*: photosynthetic response to experimental drought conditions, 50 (2003) 137

Carotenoids
Nitrate additions enhance the photosynthetic sensitivity of a nodulated South African Mediterranean-climate legume (*Podalyria calyptrata*) to elevated UV-B, 50 (2003) 197

Catalase
Antioxidative responses of wheat treated with realistic concentration of cadmium, 50 (2003) 265

Four barley genotypes respond differently to cadmium: lipid peroxidation and activities of antioxidant capacity, 50 (2003) 67

Salicylic acid changes activities of H_2O_2-metabolizing enzymes and increases the chilling tolerance of banana seedlings, 50 (2003) 9

Central composite design
Interactive effects of pH, arsenic and phosphorus on uptake of As and P and growth of the arsenic hyperaccumulator *Pteris vittata* L. under hydroponic conditions, 50 (2003) 243

Chilling
Changes in plasmodesmata frequency in vascular bundles of maize seedling leaf induced by growth at sub-optimal temperatures in relation to photosynthesis and assimilate export, 50 (2003) 183

Chilling stress
Salicylic acid changes activities of H_2O_2-metabolizing enzymes and increases the chilling tolerance of banana seedlings, 50 (2003) 9

Chlorophyll
The effect of enhanced ultraviolet-B radiation on growth, photosynthesis and stable carbon isotope composition ($\delta^{13}C$) of two soybean cultivars (*Glycine max*) under field conditions, 49 (2003) 1

Intraspecific differences in physiological response of 20 soybean cultivars to enhanced ultraviolet-B radiation under field conditions, 50 (2003) 87

Salinity–sodicity induced changes in reproductive physiology of rice (*Oryza sativa*) under dense soil conditions, 49 (2003) 145

Photosynthesis and PSII functionality of drought-resistant and drought-sensitive weeping lovegrass plants, 49 (2003) 135

Chlorophyll content
Manganese toxicity in epiphytic lichens: chlorophyll degradation and interaction with iron and phosphorus, 49 (2003) 181

Chlorophyll fluorescence
Leaf gas exchange, chlorophyll fluorescence and growth responses of *Genipa americana* seedlings to soil flooding, 50 (2003) 221

Comparative field study of *Quercus ilex* and *Phillyrea latifolia*: photosynthetic response to experimental drought conditions, 50 (2003) 137

Comparative effects of four herbicides on non-photochemical fluorescence quenching in *Lemna minor*, 49 (2003) 159

Response of photosynthetic plasticity of *Paeonia suffruticosa* to changed light environments, 49 (2003) 121

Chlorophylls
Nitrate additions enhance the photosynthetic sensitivity of a nodulated South African Mediterranean-climate legume (*Podalyria calyptrata*) to elevated UV-B, 50 (2003) 197

Cl^-
Solute accumulation and distribution during shoot and leaf development in two sorghum genotypes under salt stress, 49 (2003) 107

Climate change
Comparative field study of *Quercus ilex* and *Phillyrea latifolia*: photosynthetic response to experimental drought conditions, 50 (2003) 137

CO_2 enrichment
Elevated growth CO_2 delays drought stress and accelerates

recovery of rice leaf photosynthesis, 49 (2003) 259

Colorado plateau
Enhancement of photosynthesis and growth of an aridland perennial in response to soil nitrogen pulses generated by mule deer, 49 (2003) 169

Common bean
Paraheliotropism in two *Phaseolus* species: combined effects of photon flux density and pulvinus temperature, and consequences for leaf gas exchange, 49 (2003) 95

Common wheat
Variations in germination and grain quality within a rust resistant common wheat germplasm as affected by parental CO_2 conditions, 50 (2003) 159

Cotton
Photosynthesis and activity of superoxide dismutase, peroxidase and glutathione reductase in cotton under salt stress, 49 (2003) 69

C4 photosynthesis
Changes in plasmodesmata frequency in vascular bundles of maize seedling leaf induced by growth at sub-optimal temperatures in relation to photosynthesis and assimilate export, 50 (2003) 183

Critical level
Differences in ozone response between two Finnish wild strawberry populations, 49 (2003) 29

Crop
The effect of enhanced ultraviolet-B radiation on growth, photosynthesis and stable carbon isotope composition ($\delta^{13}C$) of two soybean cultivars (*Glycine max*) under field conditions, 49 (2003) 1

Cross-tolerance
Effects of UVB preconditioning on heat tolerance of cucumber (*Cucumis sativus* L.), 50 (2003) 169

Cr^{3+} toxicity
Chromium interference in iron nutrition and water relations of cabbage, 49 (2003) 195

Cryptantha flava
Enhancement of photosynthesis and growth of an aridland perennial in response to soil nitrogen pulses generated by mule deer, 49 (2003) 169

Culture media
Occurrence of cytokinin-like compounds in two aquatic ferns and their exudates, 49 (2003) 77

Cupric ions
Copper toxicity to five *Parmelia* lichens in vitro, 49 (2003) 237

Desert
Enhancement of photosynthesis and growth of an aridland perennial in response to soil nitrogen pulses generated by mule deer, 49 (2003) 169

Dormancy
Chilling and heat requirements of almond cultivars for flowering, 50 (2003) 79

Drought stress
Accumulation of osmolytes and osmotic adjustment in water-stressed wheat (*Triticum aestivum*) and maize (*Zea mays*) as affected by calcium and its antagonists, 50 (2003) 253

Elevated growth CO_2 delays drought stress and accelerates recovery of rice leaf photosynthesis, 49 (2003) 259

Electrolyte leakage
Effects of UVB preconditioning on heat tolerance of cucumber (*Cucumis sativus* L.), 50 (2003) 169

Electron transport rate
Comparative field study of *Quercus ilex* and *Phillyrea latifolia*: photosynthetic response to experimental drought conditions, 50 (2003) 137

Element concentrations
Extraction methods for assessing the availability of cations for epiphytic lichens from bark, 49 (2003) 273

Elevated CO_2
Variations in germination and grain quality within a rust resistant common wheat germplasm as affected by parental CO_2 conditions, 50 (2003) 159

Environment
Chilling and heat requirements of almond cultivars for flowering, 50 (2003) 79

Eragrostis curvula
Photosynthesis and PSII functionality of drought-resistant and drought-sensitive weeping lovegrass plants, 49 (2003) 135

Ethylene
Antioxidative responses of wheat treated with realistic concentration of cadmium, 50 (2003) 265

Exudates
Occurrence of cytokinin-like compounds in two aquatic ferns and their exudates, 49 (2003) 77

Fatty acids
Alterations in the rhizobacterial community associated with European alder growth when inoculated with PGPR strain *Bacillus licheniformis*, 49 (2003) 61

Fe/Mn ratio
Effects of manganese on element distribution and structure in thalli of the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 50 (2003) 113

Flavan
Elicitation of soluble phenolics in date palm (*Phoenix dactylifera*) callus by *Fusarium oxysporum* f. sp. *albedinis* culture medium, 49 (2003) 41

Flavonoid
Intraspecific differences in physiological response of 20 soybean cultivars to enhanced ultraviolet-B radiation under field conditions, 50 (2003) 87

Flavonoids
The effect of enhanced ultraviolet-B radiation on growth, photosynthesis and stable carbon isotope composition ($\delta^{13}C$) of two soybean cultivars (*Glycine max*) under field conditions, 49 (2003) 1

Nitrate additions enhance the photosynthetic sensitivity of a nodulated South African Mediterranean-climate legume (*Podalyria calyptrata*) to elevated UV-B, 50 (2003) 197

Nutrient availability and the effect of increasing UV-B radiation on secondary plant compounds in Scots pine, 49 (2003) 49

Flooding
Anaerobic metabolism in the roots of seedlings of the invasive exotic *Lepidium latifolium*, 50 (2003) 29

Flood tolerance
Leaf gas exchange, chlorophyll fluorescence and growth responses of *Genipa americana* seedlings to soil flooding, 50 (2003) 221

Fluorescence
Photosynthesis and PSII functionality of drought-resistant and drought-sensitive weeping lovegrass plants, 49 (2003) 135

Fragaria vesca
Differences in ozone response between two Finnish wild strawberry populations, 49 (2003) 29

Gas exchange
Response of photosynthetic plasticity of *Paeonia suffruticosa* to changed light environments, 49 (2003) 121

Genetic variation
Phytochelatin and cadmium accumulation in wheat, 49 (2003) 21

Genotypes
Solute accumulation and distribution during shoot and leaf development in two sorghum genotypes under salt stress, 49 (2003) 107

Germination
Variations in germination and grain quality within a rust resistant common wheat germplasm as affected by parental CO_2 conditions, 50 (2003) 159

Glutathione
Uptake and distribution of ^{35}S-sulfate in needles and roots of spruce seedlings as affected by exposure to SO_2 and H_2S, 50 (2003) 211

Glutathione reductase
Photosynthesis and activity of superoxide dismutase, peroxidase and glutathione reductase in cotton under salt stress, 49 (2003) 69

Glycine max
Intraspecific differences in physiological response of 20 soybean cultivars to enhanced ultraviolet-B radiation under field conditions, 50 (2003) 87

Glycine max
Alanine metabolism and alanine aminotransferase activity in soybean (*Glycine max*) during hypoxia of the root system and subsequent return to normoxia, 50 (2003) 1

Grain quality
Variations in germination and grain quality within a rust resistant common wheat germplasm as affected by parental CO_2 conditions, 50 (2003) 159

Growth
Nutrient availability and the effect of increasing UV-B radiation on secondary plant compounds in Scots pine, 49 (2003) 49

Differences in ozone response between two Finnish wild strawberry populations, 49 (2003) 29

Growth parameters
Mineral elements and phytase activity in *Pisum sativum* grown at different Zn supply levels in the greenhouse, 49 (2003) 285

Heavy metal
Toxicity of copper to *Quercus robur* (English Oak) seedlings from a copper-rich soil, 50 (2003) 99

Phytochelatin and cadmium accumulation in wheat, 49 (2003) 21

Heavy metal tolerance
Effects of manganese on element distribution and structure in thalli of the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 50 (2003) 113

Manganese toxicity in epiphytic lichens: chlorophyll degradation and interaction with iron and phosphorus, 49 (2003) 181

Heme enzyme
Chromium interference in iron nutrition and water relations of cabbage, 49 (2003) 195

H_2O_2 levels
Salicylic acid changes activities of H_2O_2-metabolizing enzymes and increases the chilling tolerance of banana seedlings, 50 (2003) 9

Hordeum vulgare
Four barley genotypes respond differently to cadmium: lipid peroxidation and activities of antioxidant capacity, 50 (2003) 67

Hydraulic lift
Deuterium labelling of roots provides evidence of deep water access and hydraulic lift by *Pinus nigra* in a Mediterranean forest of NE Spain, 49 (2003) 201

Hydroponics
Interactive effects of pH, arsenic and phosphorus on uptake of As and P and growth of the arsenic hyperaccumulator *Pteris vittata* L. under hydroponic conditions, 50 (2003) 243

Hydroxycinnamic acid
Elicitation of soluble phenolics in date palm (*Phoenix dactylifera*) callus by *Fusarium oxysporum* f. sp. *albedinis* culture medium, 49 (2003) 41

Hyperaccumulation
Interactive effects of pH, arsenic and phosphorus on uptake of As and P and growth of the arsenic hyperaccumulator *Pteris vittata* L. under hydroponic conditions, 50 (2003) 243

Hyperforin
Nickel contamination affects growth and secondary metabolite composition of St. John's wort (*Hypericum perforatum* L.), 49 (2003) 251

Hypericin
Nickel contamination affects growth and secondary metabolite composition of St. John's wort (*Hypericum perforatum* L.), 49 (2003) 251

Hypericum
Nickel contamination affects growth and secondary metabolite composition of St. John's wort (*Hypericum perforatum* L.), 49 (2003) 251

Hypoxia
Alanine metabolism and alanine aminotransferase activity in soybean (*Glycine max*) during hypoxia of the root system and subsequent return to normoxia, 50 (2003) 1

Inter-element relationships
Mineral elements and phytase activity in *Pisum sativum* grown at different Zn supply levels in the greenhouse, 49 (2003) 285

Intraspecific difference
The effect of enhanced ultraviolet-B radiation on growth, photosynthesis and stable carbon isotope composition ($\delta^{13}C$) of two soybean cultivars (*Glycine max*) under field conditions, 49 (2003) 1

Irrigation scheduling
Sap flow of several olive trees estimated with the heat-pulse technique by continuous monitoring of a single gauge, 49 (2003) 9

Juniperus oxycedrus
Deuterium labelling of roots provides evidence of deep water access and hydraulic lift by *Pinus nigra* in a Mediterranean forest of NE Spain, 49 (2003) 201

Kranz anatomy
Changes in plasmodesmata frequency in vascular bundles of maize seedling leaf induced by growth at sub-optimal temperatures in relation to photosynthesis and assimilate export, 50 (2003) 183

Latitude
Growth performance of *Phragmites australis* in Japan: influence of geographic gradient, 50 (2003) 51

Leaf chlorophyll
The effect of soil temperature on source–sink economy in peanut (*Arachis hypogaea*), 50 (2003) 41

Leaf gas exchange
Leaf gas exchange, chlorophyll fluorescence and growth responses of *Genipa americana* seedlings to soil flooding, 50 (2003) 221

Leaf movements
Paraheliotropism in two *Phaseolus* species: combined effects of photon flux density and pulvinus temperature, and consequences for leaf gas exchange, 49 (2003) 95

Lichen ecology
Extraction methods for assessing the availability of cations for epiphytic lichens from bark, 49 (2003) 273

Lichen secondary metabolites
Copper toxicity to five *Parmelia* lichens in vitro, 49 (2003) 237

Light extinction coefficient
Growth performance of *Phragmites australis* in Japan: influence of geographic gradient, 50 (2003) 51

Lipid peroxidation
Effects of UVB preconditioning on heat tolerance of cucumber (*Cucumis sativus* L.), 50 (2003) 169

Lycopersicon esculentum
Can ABA mediate responses of salinity stressed tomato, 50 (2003) 17

Maize
Changes in plasmodesmata frequency in vascular bundles of maize seedling leaf induced by growth at sub-optimal temperatures in relation to photosynthesis and assimilate export, 50 (2003) 183

Malonaldehyde
Intraspecific differences in physiological response of 20 soybean cultivars to enhanced ultraviolet-B radiation under field conditions, 50 (2003) 87

Malondialdehyde
Four barley genotypes respond differently to cadmium: lipid peroxidation and activities of antioxidant capacity, 50 (2003) 67

Membrane damage
Copper toxicity to five *Parmelia* lichens in vitro, 49 (2003) 237

Membrane permeability
Intraspecific differences in physiological response of 20 soybean cultivars to enhanced ultraviolet-B radiation under field conditions, 50 (2003) 87

Metabolic adaptation
Anaerobic metabolism in the roots of seedlings of the invasive exotic *Lepidium latifolium*, 50 (2002) 29

Mineral N
P effects on N uptake and remobilization during regrowth of Italian ryegrass (*Lolium multiflorum*), 50 (2003) 233

Mine spoil
Toxicity of copper to *Quercus robur* (English Oak) seedlings from a copper-rich soil, 50 (2003) 99

Mn/Fe ratio
Manganese toxicity in epiphytic lichens: chlorophyll degradation and interaction with iron and phosphorus, 49 (2003) 181

Mn immobilisation
Effects of manganese on element distribution and structure in thalli of the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 50 (2003) 113

Mutant
Can ABA mediate responses of salinity stressed tomato, 50 (2003) 17

$\delta^{15}N$
Deuterium labelling of roots provides evidence of deep water access and hydraulic lift by *Pinus nigra* in a Mediterranean forest of NE Spain, 49 (2003) 201

Na^+
Solute accumulation and distribution during shoot and leaf development in two sorghum genotypes under salt stress, 49 (2003) 107

Necrotic lesions
Defense/stress responses elicited in rice seedlings exposed to the gaseous air pollutant sulfur dioxide, 49 (2003) 223

Neotropical forests
Leaf gas exchange, chlorophyll fluorescence and growth responses of *Genipa americana* seedlings to soil flooding, 50 (2003) 221

Net production
Growth performance of *Phragmites australis* in Japan: influence of geographic gradient, 50 (2003) 51

Nickel
Nickel contamination affects growth and secondary metabolite composition of St. John's wort (*Hypericum perforatum* L.), 49 (2003) 251

Nitrate reductase
Growth and physiological responses of two mangrove species (*Bruguiera gymnorrhiza* and *Kandelia candel*) to waterlogging, 49 (2003) 209

Nitrogen isotopes
Nitrate additions enhance the photosynthetic sensitivity of a nodulated South African Mediterranean-climate legume (*Podalyria calyptrata*) to elevated UV-B, 50 (2003) 197

Non-structural carbohydrates
Solute accumulation and distribution during shoot and leaf development in two sorghum genotypes under salt stress, 49 (2003) 107

N partitioning
P effects on N uptake and remobilization during regrowth of Italian ryegrass (*Lolium multiflorum*), 50 (2003) 233

^{15}N pulse-chase
P effects on N uptake and remobilization during regrowth of Italian ryegrass (*Lolium multiflorum*), 50 (2003) 233

N reserves
P effects on N uptake and remobilization during regrowth of Italian ryegrass (*Lolium multiflorum*), 50 (2003) 233

Nutrition
Uptake and distribution of ^{35}S-sulfate in needles and roots of

spruce seedlings as affected by exposure to SO_2 and H_2S, 50 (2003) 211

Odocoileous hemionus
Enhancement of photosynthesis and growth of an aridland perennial in response to soil nitrogen pulses generated by mule deer, 49 (2003) 169

Olea europaea
Sap flow of several olive trees estimated with the heat-pulse technique by continuous monitoring of a single gauge, 49 (2003) 9

Oryza sativa
Elevated growth CO_2 delays drought stress and accelerates recovery of rice leaf photosynthesis, 49 (2003) 259

Defense/stress responses elicited in rice seedlings exposed to the gaseous air pollutant sulfur dioxide, 49 (2003) 223

Osmoregulation
Accumulation of osmolytes and osmotic adjustment in water-stressed wheat (*Triticum aestivum*) and maize (*Zea mays*) as affected by calcium and its antagonists, 50 (2003) 253

Oxidative damage
Anaerobic metabolism in the roots of seedlings of the invasive exotic *Lepidium latifolium*, 50 (2003) 29

Oxidative stress
Changes in antioxidant and pigment pool dimensions in UV-B irradiated maize seedlings, 50 (2003) 149

Defense/stress responses elicited in rice seedlings exposed to the gaseous air pollutant sulfur dioxide, 49 (2003) 223

P. acutifolius
Paraheliotropism in two *Phaseolus* species: combined effects of photon flux density and pulvinus temperature, and consequences for leaf gas exchange, 49 (2003) 95

PAM fluorometry
Comparative effects of four herbicides on non-photochemical fluorescence quenching in *Lemna minor*, 49 (2003) 159

Parental condition
Variations in germination and grain quality within a rust resistant common wheat germplasm as affected by parental CO_2 conditions, 50 (2003) 159

Pathogenesis-related proteins
Defense/stress responses elicited in rice seedlings exposed to the gaseous air pollutant sulfur dioxide, 49 (2003) 223

P deficiency
P effects on N uptake and remobilization during regrowth of Italian ryegrass (*Lolium multiflorum*), 50 (2003) 233

Pellet groups
Enhancement of photosynthesis and growth of an aridland perennial in response to soil nitrogen pulses generated by mule deer, 49 (2003) 169

Peroxidase
Four barley genotypes respond differently to cadmium: lipid peroxidation and activities of antioxidant capacity, 50 (2003) 67

Salicylic acid changes activities of H_2O_2-metabolizing enzymes and increases the chilling tolerance of banana seedlings, 50 (2003) 9

Growth and physiological responses of two mangrove species (*Bruguiera gymnorrhiza* and *Kandelia candel*) to waterlogging, 49 (2003) 209

Photosynthesis and activity of superoxide dismutase, peroxidase and glutathione reductase in cotton under salt stress, 49 (2003) 69

Peroxidases
Antioxidative responses of wheat treated with realistic concentration of cadmium, 50 (2003) 265

Pesticides
Comparative effects of four herbicides on non-photochemical fluorescence quenching in *Lemna minor*, 49 (2003) 159

Photochemical efficiency
Comparative field study of *Quercus ilex* and *Phillyrea latifolia*: photosynthetic response to experimental drought conditions, 50 (2003) 137

Photoinhibition
Comparative field study of *Quercus ilex* and *Phillyrea latifolia*: photosynthetic response to experimental drought conditions, 50 (2003) 137

Photosynthesis
Photosynthetic depression in relation to plant architecture in two alpine herbaceous species, 50 (2003) 125

Elevated growth CO_2 delays drought stress and accelerates recovery of rice leaf photosynthesis, 49 (2003) 259

Photosynthesis and activity of superoxide dismutase, peroxidase and glutathione reductase in cotton under salt stress, 49 (2003) 69

Photosynthetic pigments
Nutrient availability and the effect of increasing UV-B radiation

on secondary plant compounds in Scots pine, 49 (2003) 49

Photosynthetic rates
Comparative field study of *Quercus ilex* and *Phillyrea latifolia*: photosynthetic response to experimental drought conditions, 50 (2003) 137

Phytoalexins
Defense/stress responses elicited in rice seedlings exposed to the gaseous air pollutant sulfur dioxide, 49 (2003) 223

Phytochelatin isoforms
Phytochelatin and cadmium accumulation in wheat, 49 (2002) 21

Picea abies
Uptake and distribution of ^{35}S-sulfate in needles and roots of spruce seedlings as affected by exposure to SO_2 and H_2S, 50 (2003) 211

Picea rubens
Extraction methods for assessing the availability of cations for epiphytic lichens from bark, 49 (2003) 273

Plant extracts
Occurrence of cytokinin-like compounds in two aquatic ferns and their exudates, 49 (2003) 77

PLFAs
Alterations in the rhizobacterial community associated with European alder growth when inoculated with PGPR strain *Bacillus licheniformis*, 49 (2003) 61

Pollen viability
Salinity–sodicity induced changes in reproductive physiology of rice (*Oryza sativa*) under dense soil conditions, 49 (2003) 145

Polyphosphate granules
Effects of manganese on element distribution and structure in thalli of the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 50 (2003) 113

Potassium
Salinity–sodicity induced changes in reproductive physiology of rice (*Oryza sativa*) under dense soil conditions, 49 (2003) 145

Potassium efflux
Copper toxicity to five *Parmelia* lichens in vitro, 49 (2003) 237

Preconditioning
Effects of UVB preconditioning on heat tolerance of cucumber (*Cucumis sativus* L.), 50 (2003) 169

Proline
Accumulation of osmolytes and osmotic adjustment in water-stressed wheat (*Triticum aestivum*) and maize (*Zea mays*) as affected by calcium and its antagonists, 50 (2003) 253

Chromium interference in iron nutrition and water relations of cabbage, 49 (2003) 195

Solute accumulation and distribution during shoot and leaf development in two sorghum genotypes under salt stress, 49 (2003) 107

Protein induction
Defense/stress responses elicited in rice seedlings exposed to the gaseous air pollutant sulfur dioxide, 49 (2003) 223

Prunus dulcis
Chilling and heat requirements of almond cultivars for flowering, 50 (2003) 79

PSII fluorescence
Photosynthetic depression in relation to plant architecture in two alpine herbaceous species, 50 (2003) 125

Pteridophyta
Occurrence of cytokinin-like compounds in two aquatic ferns and their exudates, 49 (2003) 77

***Pteris vittata* L.**
Interactive effects of pH, arsenic and phosphorus on uptake of As and P and growth of the arsenic hyperaccumulator *Pteris vittata* L. under hydroponic conditions, 50 (2003) 243

P. vulgaris
Paraheliotropism in two *Phaseolus* species: combined effects of photon flux density and pulvinus temperature, and consequences for leaf gas exchange, 49 (2003) 95

Qinghai-Tibet Plateau
Photosynthetic depression in relation to plant architecture in two alpine herbaceous species, 50 (2003) 125

Quantum yield
The effect of soil temperature on source–sink economy in peanut (*Arachis hypogaea*), 50 (2003) 41

Quaternary ammonium compounds
Accumulation of osmolytes and osmotic adjustment in water-stressed wheat (*Triticum aestivum*) and maize (*Zea mays*) as affected by calcium and its antagonists, 50 (2003) 253

Quercus ilex ballota
Deuterium labelling of roots provides evidence of deep water access and hydraulic lift by *Pinus nigra* in a Mediterranean forest of NE Spain, 49 (2003) 201

Radiation
Photosynthetic depression in relation to plant architecture in two alpine herbaceous species, 50 (2003) 125

Reactive oxygen species (ROS)
Changes in antioxidant and pigment pool dimensions in UV-B irradiated maize seedlings, 50 (2003) 149

Relative growth rate
Growth and physiological responses of two mangrove species (*Bruguiera gymnorrhiza* and *Kandelia candel*) to waterlogging, 49 (2003) 209

Remobilisation
Mineral elements and phytase activity in *Pisum sativum* grown at different Zn supply levels in the greenhouse, 49 (2003) 285

Reproduction
Differences in ozone response between two Finnish wild strawberry populations, 49 (2003) 29

Resistance
Elicitation of soluble phenolics in date palm (*Phoenix dactylifera*) callus by *Fusarium oxysporum* f. sp. *albedinis* culture medium, 49 (2003) 41

Rhizosphere
Alterations in the rhizobacterial community associated with European alder growth when inoculated with PGPR strain *Bacillus licheniformis*, 49 (2003) 61

Root oxidase activity
Growth and physiological responses of two mangrove species (*Bruguiera gymnorrhiza* and *Kandelia candel*) to waterlogging, 49 (2003) 209

Root-to-shoot ratio
The effect of soil temperature on source–sink economy in peanut (*Arachis hypogaea*), 50 (2003) 41

Rubiaceae
Leaf gas exchange, chlorophyll fluorescence and growth responses of *Genipa americana* seedlings to soil flooding, 50 (2003) 221

Salinity
Solute accumulation and distribution during shoot and leaf development in two sorghum genotypes under salt stress, 49 (2003) 107

Salt tolerance
Photosynthesis and activity of superoxide dismutase, peroxidase and glutathione reductase in cotton under salt stress, 49 (2003) 69

Salvinia molesta
Occurrence of cytokinin-like compounds in two aquatic ferns and their exudates, 49 (2003) 77

Sap flow
Sap flow of several olive trees estimated with the heat-pulse technique by continuous monitoring of a single gauge, 49 (2003) 9

Seasonal fluxes
Growth performance of *Phragmites australis* in Japan: influence of geographic gradient, 50 (2003) 51

Seed set
Salinity–sodicity induced changes in reproductive physiology of rice (*Oryza sativa*) under dense soil conditions, 49 (2003) 145

Shade
Response of photosynthetic plasticity of *Paeonia suffruticosa* to changed light environments, 49 (2003) 121

Short distance transport
Changes in plasmodesmata frequency in vascular bundles of maize seedling leaf induced by growth at sub-optimal temperatures in relation to photosynthesis and assimilate export, 50 (2003) 183

Sodium
Salinity–sodicity induced changes in reproductive physiology of rice (*Oryza sativa*) under dense soil conditions, 49 (2003) 145

Soil contamination
Mineral elements and phytase activity in *Pisum sativum* grown at different Zn supply levels in the greenhouse, 49 (2003) 285

Soredia
Manganese toxicity in epiphytic lichens: chlorophyll degradation and interaction with iron and phosphorus, 49 (2003) 181

Sorghum bicolor
Solute accumulation and distribution during shoot and leaf development in two sorghum genotypes under salt stress, 49 (2003) 107

Soybean callus bioassay
Occurrence of cytokinin-like compounds in two aquatic ferns and their exudates, 49 (2003) 77

Starch
Elevated growth CO_2 delays drought stress and accelerates recovery of rice leaf photosynthesis, 49 (2003) 259

Starch synthase
Salinity–sodicity induced changes in reproductive physiology of rice (*Oryza sativa*) under dense soil conditions, 49 (2003) 145

Stigma receptivity
Salinity–sodicity induced changes in reproductive physiology of rice (*Oryza sativa*) under dense soil conditions, 49 (2003) 145

St. John's wort
Nickel contamination affects growth and secondary metabolite composition of St. John's wort (*Hypericum perforatum* L.), 49 (2003) 251

Stomatal conductance
Comparative field study of *Quercus ilex* and *Phillyrea latifolia*: photosynthetic response to experimental drought conditions, 50 (2003) 137

The effect of soil temperature on source–sink economy in peanut (*Arachis hypogaea*), 50 (2003) 41

Stratospheric ozone depletion
The effect of enhanced ultraviolet-B radiation on growth, photosynthesis and stable carbon isotope composition ($\delta^{13}C$) of two soybean cultivars (*Glycine max*) under field conditions, 49 (2003) 1

Substrate ecology
Extraction methods for assessing the availability of cations for epiphytic lichens from bark, 49 (2003) 273

Sucrose
Elevated growth CO_2 delays drought stress and accelerates recovery of rice leaf photosynthesis, 49 (2003) 259

Sulfur source
Uptake and distribution of ^{35}S-sulfate in needles and roots of spruce seedlings as affected by exposure to SO_2 and H_2S, 50 (2003) 211

Sun elevation
Growth performance of *Phragmites australis* in Japan: influence of geographic gradient, 50 (2003) 51

Superoxide dismutase
Antioxidative responses of wheat treated with realistic concentration of cadmium, 50 (2003) 265

Intraspecific differences in physiological response of 20 soybean cultivars to enhanced ultraviolet-B radiation under field conditions, 50 (2003) 87

Four barley genotypes respond differently to cadmium: lipid peroxidation and activities of antioxidant capacity, 50 (2003) 67

Salicylic acid changes activities of H_2O_2-metabolizing enzymes and increases the chilling tolerance of banana seedlings, 50 (2003) 9

Growth and physiological responses of two mangrove species (*Bruguiera gymnorrhiza* and *Kandelia candel*) to waterlogging, 49 (2003) 209

Photosynthesis and activity of superoxide dismutase, peroxidase and glutathione reductase in cotton under salt stress, 49 (2003) 69

Tannins
Nutrient availability and the effect of increasing UV-B radiation on secondary plant compounds in Scots pine, 49 (2003) 49

Temperature
Photosynthetic depression in relation to plant architecture in two alpine herbaceous species, 50 (2003) 125

Tepary bean
Paraheliotropism in two *Phaseolus* species: combined effects of photon flux density and pulvinus temperature, and consequences for leaf gas exchange, 49 (2003) 95

Thiols
Uptake and distribution of ^{35}S-sulfate in needles and roots of spruce seedlings as affected by exposure to SO_2 and H_2S, 50 (2003) 211

Tissue culture
Elicitation of soluble phenolics in date palm (*Phoenix dactylifera*) callus by *Fusarium oxysporum* f. sp. *albedinis* culture medium, 49 (2003) 41

Tocopherols
Changes in antioxidant and pigment pool dimensions in UV-B irradiated maize seedlings, 50 (2003) 149

Tolerance
Toxicity of copper to *Quercus robur* (English Oak) seedlings from a copper-rich soil, 50 (2003) 99

Translocation
Phytochelatin and cadmium accumulation in wheat, 49 (2003) 21

Transpiration
Chromium interference in iron nutrition and water relations of cabbage, 49 (2003) 195

Sap flow of several olive trees estimated with the heat-pulse technique by continuous monitoring of a single gauge, 49 (2003) 9

Trebouxia jamesii
Effects of manganese on element distribution and structure in thalli of the epiphytic lichens *Hypogymnia physodes* and *Lecanora conizaeoides*, 50 (2003) 113

Trees
Toxicity of copper to *Quercus robur* (English Oak) seedlings from a copper-rich soil, 50 (2003) 99

Triticum aestivum
Phytochelatin and cadmium accumulation in wheat, 49 (2003) 21

Triticum durum
Antioxidative responses of wheat treated with realistic concentration of cadmium, 50 (2003) 265

Triticum turgidum
Phytochelatin and cadmium accumulation in wheat, 49 (2003) 21

Tropospheric ozone
Differences in ozone response between two Finnish wild strawberry populations, 49 (2003) 29

Urine pulse
Enhancement of photosynthesis and growth of an aridland perennial in response to soil nitrogen pulses generated by mule deer, 49 (2003) 169

UV-absorbing phenols
Effects of UVB preconditioning on heat tolerance of cucumber (*Cucumis sativus* L.), 50 (2003) 169

UVB radiation
Effects of UVB preconditioning on heat tolerance of cucumber (*Cucumis sativus* L.), 50 (2003) 169

UV-induction
Nutrient availability and the effect of increasing UV-B radiation on secondary plant compounds in Scots pine, 49 (2003) 49

Water potential
Deuterium labelling of roots provides evidence of deep water access and hydraulic lift by *Pinus nigra* in a Mediterranean forest of NE Spain, 49 (2003) 201

Water relations
Can ABA mediate responses of salinity stressed tomato, 50 (2003) 17

Water stress
Photosynthesis and PSII functionality of drought-resistant and drought-sensitive weeping lovegrass plants, 49 (2003) 135

Water use
Sap flow of several olive trees estimated with the heat-pulse technique by continuous monitoring of a single gauge, 49 (2003) 9

Water-use efficiency
The effect of soil temperature on source–sink economy in peanut (*Arachis hypogaea*), 50 (2003) 41

Weed
Anaerobic metabolism in the roots of seedlings of the invasive exotic *Lepidium latifolium*, 50 (2003) 29

Wetlands
Anaerobic metabolism in the roots of seedlings of the invasive exotic *Lepidium latifolium*, 50 (2003) 29

Xylem sap
Alanine metabolism and alanine aminotransferase activity in soybean (*Glycine max*) during hypoxia of the root system and subsequent return to normoxia, 50 (2003) 1

Zea mays
Changes in plasmodesmata frequency in vascular bundles of maize seedling leaf induced by growth at sub-optimal temperatures in relation to photosynthesis and assimilate export, 50 (2003) 183

Changes in antioxidant and pigment pool dimensions in UV-B irradiated maize seedlings, 50 (2003) 149

VOL. 49

CONTENTS

2003